

To: Appleby, Charlie[Appleby.Charlie@epa.gov]
Cc: 'blodge@csc.com'[blodge@csc.com]; 'britz.helen@epa.gov'[britz.helen@epa.gov]; 'Goehl.sara@Epa.gov'[Goehl.sara@Epa.gov]; 'hoff.melanie@epa.gov'[hoff.melanie@epa.gov]; 'Miller.Ross@epa.gov'[Miller.Ross@epa.gov]; 'Myer.Shari@epa.gov'[Myer.Shari@epa.gov]; 'Taylor.Lucinda@epa.gov'[Taylor.Lucinda@epa.gov]; Frate, Cynthia[Frate.Cynthia@epa.gov]; Gannon, Nick[Gannon.Nick@epa.gov]; Heather E Bauer[hbauer3@csc.com]; Leslie J Braun[lbraun4@csc.com]; Moreland, Tiffany[Moreland.Tiffany@epa.gov]; Nazy M Perkins[nperkins2@csc.com]; Sean J Kolb[skolb4@csc.com]; Uhr, Danny[uhr.danny@epa.gov]; Usama Anwar[uanwar@csc.com]; Wise, Marneice[Wise.Marneice@epa.gov]
From: Kerrie Baciocco
Sent: Mon 8/10/2015 4:39:52 PM
Subject: RE: SOM02.2 Region 8 Capacity Shortage, Case 45423

Charlie,

We have not yet contacted the laboratory. Do you want us to check with CHM whether they could take the entire Case, including the samples which were previously scheduled with TAB? Or just the additional samples? Note that as indicated by Usama below, the originally provided 18% over capacity value only took into account the additional samples, if CHM were to take the entire Case, it would put them 25% over capacity. Please advise whether we should check with the laboratory regarding the entire Case or additional samples only.

Please also note, I have compiled all of the communication regarding this issue into this trail.

Thanks,

KERRIE A. BACIOCCO
Environmental Coordinator – Team Leader & Region 10
CSC

6361 Walker Lane, Alexandria, VA 22310
Civil Division | (p) 703-461-2014 | kbaciocco@csc.com | www.csc.com

This is a PRIVATE message. If you are not the intended recipient, please delete without copying and kindly advise us by e-mail of the mistake in delivery. NOTE: Regardless of content, this e-mail shall not operate to bind CSC to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of e-mail for such purpose.

From: "Appleby, Charlie" <Appleby.Charlie@epa.gov>
To: Usama Anwar/USA/CSC@CSC, "Myer.Shari@epa.gov" <Myer.Shari@epa.gov>, "Miller.Ross@epa.gov" <Miller.Ross@epa.gov>, "britz.helen@epa.gov" <britz.helen@epa.gov>, "Goehl.sara@Epa.gov" <Goehl.sara@Epa.gov>, "Uhr, Danny" <uhr.danny@epa.gov>, "Frate, Cynthia" <Frate.Cynthia@epa.gov>, "Moreland, Tiffany" <Moreland.Tiffany@epa.gov>, "Gannon, Nick" <Gannon.Nick@epa.gov>
Cc: Nazy M Perkins/USA/CSC@CSC, "hoff.melanie@epa.gov" <hoff.melanie@epa.gov>, "Taylor.Lucinda@epa.gov" <Taylor.Lucinda@epa.gov>, Leslie J Braun/USA/CSC@CSC, Sean J Kolb/USA/CSC@CSC, Heather E Bauer/USA/CSC@CSC, "blodge@csc.com" <blodge@csc.com>, Kerrie Baciocco/USA/CSC@CSC, "Wise, Marneice" <Wise.Marneice@epa.gov>
Date: 08/10/2015 11:16 AM
Subject: RE: SOM02.2 Region 8 Capacity Shortage, Case 45423

Usama,

We are discussing these additional samples. Please let me know whether you have heard back from CHM yet.

Thanks,

Charlie Appleby
CLP Organic and NRAS Program Manager
Analytical Services Branch
OSWER/OSRTI/TIFSD
(703) 347-0266 (Potomac Yard)
(703) 405-0057 (Mobile)

From: Usama Anwar [<mailto:uanwar@csc.com>]
Sent: Monday, August 10, 2015 10:14 AM
To: Appleby, Charlie; 'Myer.Shari@epa.gov'; 'Miller.Ross@epa.gov'; 'britz.helen@epa.gov'; 'Goehl.sara@Epa.gov'; Uhr, Danny; Frate, Cynthia; Moreland, Tiffany; Gannon, Nick
Cc: Nazy M Perkins; 'hoff.melanie@epa.gov'; 'Taylor.Lucinda@epa.gov'; Leslie J Braun; Sean J Kolb; Heather E Bauer; 'blodge@csc.com'; Kerrie Baciocco; Wise, Marneice
Subject: RE: SOM02.2 Region 8 Capacity Shortage, Case 45423

Hi Charlie,

Currently 140 soil samples (SPLP ICP-AES 11+ Metals and Mercury) for this Case are scheduled with TAB. Would you like to see if CHM would accept those as well? These samples were not included in the calculation provided on Friday. These additional samples would result in CHM going from 18% to 25% over capacity. Thanks!

Usama Anwar
Environmental Analyst
CSC
6361 Walker Lane, Alexandria, VA 22310
(703) 461 2321 | uanwar@csc.com

This is a PRIVATE message. If you are not the intended recipient, please delete without copying and kindly advise us by e-mail of the mistake in delivery. NOTE: Regardless of content, this e-mail shall not operate to bind CSC to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of e-mail for such purpose.

From: "Appleby, Charlie" <Appleby.Charlie@epa.gov>
To: Usama Anwar/USA/CSC@CSC
Cc: Heather E Bauer/USA/CSC@CSC, "Wise, Marneice" <Wise.Marneice@epa.gov>, "Uhr, Danny" <uhr.danny@epa.gov>, "Frate, Cynthia" <Frate.Cynthia@epa.gov>, "Gannon, Nick" <Gannon.Nick@epa.gov>, "britz.helen@epa.gov" <britz.helen@epa.gov>, "Goehl.sara@Epa.gov" <Goehl.sara@Epa.gov>, "Myer.Shari@epa.gov" <Myer.Shari@epa.gov>
Date: 08/07/2015 04:43 PM
Subject: RE: SOM02.2 Region 8 Capacity Shortage, Case 45423

Usama,

Please ask CHM whether they are willing to be scheduled over their capacity by approximately 18% for the samples in this case.

Thanks,

Charlie Appleby
CLP Organic and NRAS Program Manager
Analytical Services Branch
OSWER/OSRTI/TIFSD
(703) 347-0266 (Potomac Yard)
(703) 405-0057 (Mobile)

From: Kerrie Baciocco/USA/CSC
To: "Appleby, Charlie" <Appleby.Charlie@epa.gov>, "Myer, Shari" <Myer.Shari@epa.gov>, "Miller, Ross" <miller.ross@epa.gov>, "Britz, Helen" <Britz.Helen@epa.gov>, "Goehl, Sara" <Goehl.Sara@epa.gov>, "Uhr, Danny" <uhr.danny@epa.gov>, "Frate, Cynthia" <Frate.Cynthia@epa.gov>, moreland.tiffany@epa.gov, gannon.nick@epa.gov
Cc: Nazy M Perkins/USA/CSC@CSC, hoff.melanie@epa.gov, "Taylor, Lucinda" <Taylor.Lucinda@epa.gov>, Leslie J Braun/USA/CSC@CSC, Sean J Kolb/USA/CSC, Heather E Bauer/USA/CSC, wise.marneice@epa.gov, Usama Anwar/USA/CSC@CSC
Date: 08/07/2015 04:42 PM
Subject: Re: Fw: SOM02.2 Region 8 Capacity Shortage

Good afternoon Charlie,

As discussed on the phone just now, please see below the capacity numbers for ALS and CHM as requested.

Lab	Rank	Samples Scheduled this Month	45423 ISM Samples	ISM Monthly Capacity	Case Price	Number of Samples Over Capacity	Percentage Over Capacity
CHM	1	953	817	1500	\$51,500.00	276	18.00%
ALS	6	177	817	750	\$105,000.00	250	32.53%

Please let me know if you require any additional information.

Thanks,

KERRIE A. BACIOCCO
Environmental Coordinator – Team Leader & Region 10
CSC

6361 Walker Lane, Alexandria, VA 22310

This is a PRIVATE message. If you are not the intended recipient, please delete without copying and kindly advise us by e-mail of the mistake in delivery. NOTE: Regardless of content, this e-mail shall not operate to bind CSC to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of e-mail for such purpose.

From: "Appleby, Charlie" <Appleby.Charlie@epa.gov>
To: Usama Anwar/USA/CSC@CSC
Cc: "Myer, Shari" <Myer.Shari@epa.gov>
Date: 08/07/2015 01:00 PM
Subject: RE: SOM02.2 Brownfields Funding Shortage

Usama,

While you are in the database, please also find the projected impact on ALS's capacity.

Thanks,

Charlie Appleby
CLP Organic and NRAS Program Manager
Analytical Services Branch
OSWER/OSRTI/TIFSD
(703) 347-0266 (Potomac Yard)
(703) 405-0057 (Mobile)

From: Usama Anwar [<mailto:uanwar@csc.com>]
Sent: Thursday, August 06, 2015 4:24 PM
To: Appleby, Charlie; 'Myer.Shari@epa.gov'; 'Miller.Ross@epa.gov'; 'britz.helen@epa.gov'; 'Goehl.sara@Epa.gov'; Uhr, Danny; Frate, Cynthia; Moreland, Tiffany; Gannon, Nick
Cc: Nazy M Perkins; 'hoff.melanie@epa.gov'; 'Taylor.Lucinda@epa.gov'; Leslie J Braun; Sean J Kolb; Heather E Bauer; 'blodge@csc.com'; Kerrie Baciocco; Wise, Marneice
Subject: SOM02.2 Region 8 Capacity Shortage

All,

For scheduling on August 6, 2015, we have one project that requires direction for additional samples. Currently, there are 70 soil SPLP ICP-AES 11+ Metals and Mercury samples scheduled with TAB. Shipping has not started yet for this Case and the Region would prefer to have all samples scheduled with one laboratory, if possible. The Region has also indicated that shipping will occur on one day during the shipping period. Below are the Case details and a table summarizing the laboratories status, funding, and additional comments for this project. This table is also included as an attachment.

Case 45423 (Region 8 – UPPER ANIMAS MINING DISTRICT)

Program: Superfund

Shipping: 8/3–9/8

TAT: 21 days

70 soil SPLP ICP-AES 11+ Metals and Mercury - Currently scheduled with TAB

50 sediment and 100 soil ICP-MS 11+ Metals, ICP-AES 5-10 Metals, and Mercury
 200 water and water (filtered) ICP-MS 11+ Metals
 200 water (filtered) ICP-AES 5-10 Metals

Rank Status			Available Funds for Scheduling	Case Price	Capacity	Comments
CHM	1	N/A	\$72,731.00	\$51,500.00	No	Exceeds Capacity
SAR	2	N/A	\$69,215.00	\$73,500.00	No	Exceeds 10% scheduling maximum
EQI	3	N/A	\$182,397.00	\$76,500.00	No	Exceeds 10% scheduling maximum
ABE	4	N/A	\$145,688.00	\$76,750.00	Yes	CO Hold, Late Data
BON	5	N/A	\$113,082.00	\$88,750.00	No	Exceeds Capacity, Late Data
ALS	6	N/A	-\$32,342.00	\$105,000.00	No	Exceeds Capacity
TAB	7	N/A	\$2,738.00	\$114,150.00	No	Exceeds Capacity, ICP-MS instrument hold

Please advise on the scheduling of this Region 8 project and let me know if you need any additional information.

Thanks,
 Usama Anwar
 Environmental Analyst
 CSC
 6361 Walker Lane, Alexandria, VA 22310
 (703) 461 2321 | uanwar@csc.com

This is a PRIVATE message. If you are not the intended recipient, please delete without copying and kindly advise us by e-mail of the mistake in delivery. NOTE: Regardless of content, this e-mail shall not operate to bind CSC to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of e-mail for such purpose.